

# 820 Payment Order/Remittance Advice

Functional Group ID= **RA**

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Payment Order/Remittance Advice Transaction Set (820) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to make a payment, send a remittance advice, or make a payment and send a remittance advice. This transaction set can be an order to a financial institution to make a payment to a payee. It can also be a remittance advice identifying the detail needed to perform cash application to the payee's accounts receivable system. The remittance advice can go directly from payer to payee, through a financial institution, or through a third party agent.

## Notes:

**1. This transaction set will be used by the disbursing office to transmit remittance advice to the vendor or designated third party.**

**2. The monetary amount in BPR02 should be the sum of all "outer" loop values in data element ADX01 and all data element RMR04 amounts, if present. The data cited in data elements BPR12-15 are in effect, the vendor's Electronic Funds Transfer (EFT) "Remit To" electronic address. The date cited in BPR16 is the date used for early discount and late payment calculations.**

**3. For a vendor with a single EFT account, only data elements BPR02 and BPR16 will vary per payment.**

## Heading:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BPR	Beginning Segment for Payment Order/Remittance Advice	M	1		
Not Used	030	NTE	Note/Special Instruction	O	>1		
	035	TRN	Trace	O	1		c1
	040	CUR	Currency	O	1		c2
	050	REF	Reference Identification	O	>1		
	060	DTM	Date/Time Reference	O	>1		
LOOP ID - N1						>1	
	070	N1	Name	O	1		c3
	080	N2	Additional Name Information	O	>1		
	090	N3	Address Information	O	>1		
	100	N4	Geographic Location	O	1		
Not Used	110	REF	Reference Identification	O	>1		
	120	PER	Administrative Communications Contact	O	>1		
	130	RDM	Remittance Delivery Method	O	1		

## 820 Payment Order/Remittance Advice

140	DTM	Date/Time Reference	O	1	
-----	-----	---------------------	---	---	--

**Detail:**

Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
LOOP ID - ENT						>1
010	ENT	Entity	O	1		n1, c4
LOOP ID - NM1						>1
020	NM1	Individual or Organizational Name	O	1		c5
030	N2	Additional Name Information	O	>1		
040	N3	Address Information	O	>1		
050	N4	Geographic Location	O	1		
Not Used	060	REF	Reference Identification	O	>1	
	070	PER	Administrative Communications Contact	O	>1	
LOOP ID - ADX						>1
080	ADX	Adjustment	O	1		c6
090	NTE	Note/Special Instruction	O	>1		
Not Used	100	PER	Administrative Communications Contact	O	>1	
	105	DTM	Date/Time Reference	O	1	
LOOP ID - REF						>1
110	REF	Reference Identification	O	1		
Not Used	120	DTM	Date/Time Reference	O	>1	
LOOP ID - IT1						>1
Not Used	130	IT1	Baseline Item Data (Invoice)	O	1	c7
LOOP ID - REF						>1
Not Used	140	REF	Reference Identification	O	1	
Not Used	141	DTM	Date/Time Reference	O	1	
LOOP ID - SAC						>1
Not Used	142	SAC	Service, Promotion, Allowance, or Charge Information	O	1	
Not Used	143	TXI	Tax Information	O	>1	
LOOP ID - SLN						>1
Not Used	144	SLN	Subline Item Detail	O	1	
LOOP ID - REF						>1
Not Used	145	REF	Reference Identification	O	1	
Not Used	146	DTM	Date/Time Reference	O	>1	
LOOP ID - SAC						>1
Not Used	147	SAC	Service, Promotion, Allowance, or Charge Information	O	1	
Not Used	148	TXI	Tax Information	O	>1	
LOOP ID - RMR						>1
	150	RMR	Remittance Advice Accounts Receivable Open Item Reference	O	1	c8
Not Used	160	NTE	Note/Special Instruction	O	>1	
	170	REF	Reference Identification	O	>1	

## 820 Payment Order/Remittance Advice

	180	DTM	Date/Time Reference	O	>1	
			LOOP ID - IT1			>1
Not Used	190	IT1	Baseline Item Data (Invoice)	O	1	c9
			LOOP ID - REF			>1
Not Used	200	REF	Reference Identification	O	1	
Not Used	201	DTM	Date/Time Reference	O	1	
			LOOP ID - SAC			>1
Not Used	202	SAC	Service, Promotion, Allowance, or Charge Information	O	1	
Not Used	203	TXI	Tax Information	O	>1	
			LOOP ID - SLN			>1
Not Used	204	SLN	Subline Item Detail	O	1	
			LOOP ID - REF			>1
Not Used	205	REF	Reference Identification	O	1	
Not Used	206	DTM	Date/Time Reference	O	>1	
			LOOP ID - SAC			>1
Not Used	207	SAC	Service, Promotion, Allowance, or Charge Information	O	1	
Not Used	208	TXI	Tax Information	O	>1	
			LOOP ID - ADX			>1
	210	ADX	Adjustment	O	1	c10
	220	NTE	Note/Special Instruction	O	>1	
Not Used	230	PER	Administrative Communications Contact	O	>1	
			LOOP ID - REF			>1
	240	REF	Reference Identification	O	1	
	250	DTM	Date/Time Reference	O	>1	
			LOOP ID - IT1			>1
Not Used	260	IT1	Baseline Item Data (Invoice)	O	1	c11
			LOOP ID - REF			>1
Not Used	270	REF	Reference Identification	O	1	
Not Used	271	DTM	Date/Time Reference	O	1	
			LOOP ID - SAC			>1
Not Used	272	SAC	Service, Promotion, Allowance, or Charge Information	O	1	
Not Used	273	TXI	Tax Information	O	>1	
			LOOP ID - SLN			>1
Not Used	274	SLN	Subline Item Detail	O	1	
			LOOP ID - REF			>1
Not Used	275	REF	Reference Identification	O	1	
Not Used	276	DTM	Date/Time Reference	O	>1	
			LOOP ID - SAC			>1
Not Used	277	SAC	Service, Promotion, Allowance, or Charge Information	O	1	
Not Used	278	TXI	Tax Information	O	>1	
			LOOP ID - TXP			>1

## 820 Payment Order/Remittance Advice

	280	TXP	Tax Payment	O	1	n2
Not Used	285	TXI	Tax Information	O	>1	
LOOP ID - DED						>1
	287	DED	Deductions	O	1	n3
LOOP ID - LX						>1
	290	LX	Assigned Number	O	1	n4
Not Used	295	REF	Reference Identification	O	>1	
Not Used	300	TRN	Trace	O	>1	
LOOP ID - NM1						>1
	305	NM1	Individual or Organizational Name	O	1	
Not Used	310	REF	Reference Identification	O	>1	
Not Used	315	G53	Maintenance Type	O	1	
LOOP ID - AIN						>1
Not Used	320	AIN	Income	O	1	
Not Used	325	QTY	Quantity	O	>1	
Not Used	330	DTP	Date or Time or Period	O	>1	
LOOP ID - PEN						>1
	335	PEN	Pension Information	O	1	
Not Used	340	AMT	Monetary Amount	O	>1	
Not Used	345	DTP	Date or Time or Period	O	>1	
LOOP ID - INV						>1
Not Used	350	INV	Investment Vehicle Selection	O	1	
Not Used	355	DTP	Date or Time or Period	O	>1	

### Summary:

	<u>Pos.</u> <u>No.</u>	<u>Seg.</u> <u>ID</u>	<u>Name</u>	<u>Req.</u> <u>Des.</u>	<u>Max.Use</u>	<u>Loop</u> <u>Repeat</u>	<u>Notes and</u> <u>Comments</u>
Must Use	010	SE	Transaction Set Trailer	M	1		

### Transaction Set Notes

1. The ENT loop is for vendor or consumer third party consolidated payments.
2. The TXP loop is for tax payments.
3. The DED loop is for child support payments.
4. The LX loop is for pension payments.

### Transaction Set Comments

1. The TRN segment is used to uniquely identify a payment order/remittance advice.
2. The CUR segment does not initiate a foreign exchange transaction.
3. The N1 loop allows for name/address information for the payer and payee which would be utilized to address remittance(s) for delivery.
4. ENT09 may contain the payee's accounts receivable customer number.
5. Allowing the NM1 segment to repeat in this area allows the paying entity within a payer and the paid entity within a payee to be identified (not the payer and payee).
6. This ADX loop contains adjustment items which are not netted to an RMR segment in this transaction

set.

7. Loop IT1 within the ADX loop is the adjustment line item detail loop.
8. Loop RMR is for open items being referenced or for payment on account.
9. Loop IT1 within the RMR loop is the remittance line item detail loop.
10. This ADX loop can only contain adjustment information for the immediately preceding RMR segment and affects the amount (RMR04) calculation. If this adjustment amount is not netted to the immediately preceding RMR, use the outer ADX loop (position 080).
11. Loop IT1 within the ADX loop is the adjustment line item detail loop.

**Segment:** **ST** Transaction Set Header  
**Position:** 010  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:** 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).  
**Comments:**

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	ST01	143 Transaction Set Identifier Code	M ID 3/3
		Code uniquely identifying a Transaction Set	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
Must Use	ST02	329 Transaction Set Control Number	M AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
		<i>This unique control number is assigned by the originator of the transaction set or by the originator's application program. This same number is carried in SE02.</i>	

**Segment:** **BPR** Beginning Segment for Payment Order/Remittance Advice

**Position:** 020

**Loop:**

**Level:** Heading

**Usage:** Mandatory

**Max Use:** 1

**Purpose:** To indicate the beginning of a Payment Order/Remittance Advice Transaction Set and total payment amount, or to enable related transfer of funds and/or information from payer to payee to occur

- Syntax Notes:**
- 1 If either BPR06 or BPR07 is present, then the other is required.
  - 2 If BPR08 is present, then BPR09 is required.
  - 3 If either BPR12 or BPR13 is present, then the other is required.
  - 4 If BPR14 is present, then BPR15 is required.
  - 5 If either BPR18 or BPR19 is present, then the other is required.
  - 6 If BPR20 is present, then BPR21 is required.

- Semantic Notes:**
- 1 BPR02 specifies the payment amount.
  - 2 When using this transaction set to initiate a payment, all or some of BPR06 through BPR16 may be required, depending on the conventions of the specific financial channel being used.  
BPR06 and BPR07 relate to the originating depository financial institution (ODFI).
  - 3 BPR08 is a code identifying the type of bank account or other financial asset.
  - 4 BPR09 is the account of the company originating the payment. This account may be debited or credited depending on the type of payment order.
  - 5 BPR12 and BPR13 relate to the receiving depository financial institution (RDFI).
  - 6 BPR14 is a code identifying the type of bank account or other financial asset.
  - 7 BPR15 is the account number of the receiving company to be debited or credited with the payment order.
  - 8 BPR16 is the date the originating company intends for the transaction to be settled (i.e., Payment Effective Date).
  - 9 BPR17 is a code identifying the business reason for this payment.
  - 10 BPR18, BPR19, BPR20 and BPR21, if used, identify a third bank identification number and account to be used for return items only.
  - 11 BPR20 is a code identifying the type of bank account or other financial asset.

**Comments:**

#### Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
Must Use	BPR01	305 Transaction Handling Code	M ID 1/2
Code designating the action to be taken by all parties			
		C	Payment Accompanies Remittance Advice
		D	Make Payment Only
		I	Remittance Information Only
		P	Prenotification of Future Transfers

			U	Split Payment and Remittance	
<b>Must Use</b>	<b>BPR02</b>	<b>782</b>	<b>Monetary Amount</b>		<b>M R 1/15</b>
			Monetary amount		
			<b>1. Total monetary amount to be credited/debited.</b>  <b>2. A decimal point is required when the amount is in dollars and cents. Total payment amount cannot exceed eleven characters (including the decimal) when converted to National Automated Clearing House Association (NACHA) format, e.g., 99999999.99</b>		
<b>Must Use</b>	<b>BPR03</b>	<b>478</b>	<b>Credit/Debit Flag Code</b>		<b>M ID 1/1</b>
			Code indicating whether amount is a credit or debit		
			<b>Use to indicate the amount in BPR02 is a credit.</b>		
			C	Credit	
<b>Must Use</b>	<b>BPR04</b>	<b>591</b>	<b>Payment Method Code</b>		<b>M ID 3/3</b>
			Code identifying the method for the movement of payment instructions		
			ACH	Automated Clearing House (ACH)	
			CHK	Check	
			<b>Checks may be used for Financial Management Service (FMS) approved waivers only.</b>		
			EBX	EDIBANX Clearing Network	
			FEW	Federal Reserve Funds/Wire Transfer - Repetitive	
			FWT	Federal Reserve Funds/Wire Transfer - Nonrepetitive	
			SWT	Society for Worldwide Interbank Financial Telecommunications (S.W.I.F.T.)	
	<b>BPR05</b>	<b>812</b>	<b>Payment Format Code</b>		<b>O ID 1/10</b>
			Code identifying the payment format to be used		
			<b>If BPR04 is "ACH", the valid codes are "CCP", "CTX", "PPD", "PPP".</b>		
			CCD	Cash Concentration/Disbursement (CCD) (ACH)	
			CCP	Cash Concentration/Disbursement plus Addenda (CCD+) (ACH)	
			CTX	Corporate Trade Exchange (CTX) (ACH)	
			PPD	Prearranged Payment and Deposit (PPD+) (ACH)	
			PPP	Prearranged Payment and Deposit plus Addenda (PPD+) (ACH)	
<b>Must Use</b>	<b>BPR06</b>	<b>506</b>	<b>(DFI) ID Number Qualifier</b>		<b>X ID 2/2</b>
			Code identifying the type of identification number of Depository Financial Institution (DFI)		
			01	ABA Transit Routing Number Including Check Digits (9 digits)	
			<b>Use to identify the disbursing office number (i.e., the office making the payment).</b>		



			02	Swift Identification (8 or 11 characters)		
				<i>Use to indicate Swift Foreign Currency EFT.</i>		
<b>Must Use</b>	<b>BPR07</b>	<b>507</b>		<b>(DFI) Identification Number</b>	<b>X</b>	<b>AN 3/12</b>
				Depository Financial Institution (DFI) identification number		
				<i>Cite the disbursing office's Routing and Transit number.</i>		
<b>Must Use</b>	<b>BPR08</b>	<b>569</b>		<b>Account Number Qualifier</b>	<b>O</b>	<b>ID 1/3</b>
				Code indicating the type of account		
			ALC	Agency Location Code (ALC)		
<b>Must Use</b>	<b>BPR09</b>	<b>508</b>		<b>Account Number</b>	<b>X</b>	<b>AN 1/35</b>
				Account number assigned		
				<i>Required for EFT.</i>		
<b>Must Use</b>	<b>BPR10</b>	<b>509</b>		<b>Originating Company Identifier</b>	<b>O</b>	<b>AN 10/10</b>
				A unique identifier designating the company initiating the funds transfer instructions. The first character is one-digit ANSI identification code designation (ICD) followed by the nine-digit identification number which may be an IRS employer identification number (EIN), data universal numbering system (DUNS), or a user assigned number; the ICD for an EIN is 1, DUNS is 3, user assigned number is 9		
				<i>Cite the disbursing office's 9 digit RTN, preceded by the numbers "9" and "3" for Civilian Agencies, and preceded by a "9" for Defense Agencies.</i>		
<b>Not Used</b>	<b>BPR11</b>	<b>510</b>		<b>Originating Company Supplemental Code</b>	<b>O</b>	<b>AN 9/9</b>
				A code defined between the originating company and the originating depository financial institution (ODFI) that uniquely identifies the company initiating the transfer instructions		
	<b>BPR12</b>	<b>506</b>		<b>(DFI) ID Number Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
				Code identifying the type of identification number of Depository Financial Institution (DFI)		
				<i>1. BPR12 through BPR15 relate to the receiving depository financial institution and account.</i>		
				<i>2. Leave blank if BPR04 is CHK.</i>		
			01	ABA Transit Routing Number Including Check Digits (9 digits)		
				<i>Use to indicate the receiving depository financial institution transit routing number as provided by the vendor at registration.</i>		
			02	Swift Identification (8 or 11 characters)		
	<b>BPR13</b>	<b>507</b>		<b>(DFI) Identification Number</b>	<b>X</b>	<b>AN 3/12</b>
				Depository Financial Institution (DFI) identification number		
				<i>Use to identify the receiving financial institution for the vendor as provided by the vendor at the time of registration. If 01 in BPR12 cite the receiving financial institution's 9-digit RTN. Required for EFT.</i>		

	<b>BPR14</b>	<b>569</b>	<b>Account Number Qualifier</b> Code indicating the type of account <i>Use to identify the type of account and use BPR15 to identify the Payee's account number. This data element is required when EFT is used. Leave blank if BPR04 is code CHK.</i> DA Demand Deposit SG Savings	<b>O</b>	<b>ID 1/3</b>
	<b>BPR15</b>	<b>508</b>	<b>Account Number</b> Account number assigned <i>Use to identify the receiver's bank account. This data element is required when EFT is used.</i>	<b>X</b>	<b>AN 1/35</b>
	<b>BPR16</b>	<b>373</b>	<b>Date</b> Date (YYMMDD) <i>Use to identify the settlement date.</i>	<b>O</b>	<b>DT 6/6</b>
<b>Must Use</b>	<b>BPR17</b>	<b>1048</b>	<b>Business Function Code</b> Code identifying the business reason for this payment DBT Debt Collection Payment PCS Payment of Child Support PEN Pension Payment TAX Tax Payment VEN Vendor Payment	<b>O</b>	<b>ID 1/3</b>
<b>Not Used</b>	<b>BPR18</b>	<b>506</b>	<b>(DFI) ID Number Qualifier</b> Code identifying the type of identification number of Depository Financial Institution (DFI)	<b>X</b>	<b>ID 2/2</b>
<b>Not Used</b>	<b>BPR19</b>	<b>507</b>	<b>(DFI) Identification Number</b> Depository Financial Institution (DFI) identification number	<b>X</b>	<b>AN 3/12</b>
<b>Not Used</b>	<b>BPR20</b>	<b>569</b>	<b>Account Number Qualifier</b> Code indicating the type of account	<b>O</b>	<b>ID 1/3</b>
<b>Not Used</b>	<b>BPR21</b>	<b>508</b>	<b>Account Number</b> Account number assigned	<b>X</b>	<b>AN 1/35</b>

<b>Segment:</b>	<b>TRN</b> Trace
<b>Position:</b>	035
<b>Loop:</b>	
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To uniquely identify a transaction to an application
<b>Syntax Notes:</b>	
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 TRN02 provides unique identification for the transaction.</li> <li>2 TRN03 identifies an organization.</li> <li>3 TRN04 identifies a further subdivision within the organization.</li> </ol>
<b>Comments:</b>	
<b>Notes:</b>	<ol style="list-style-type: none"> <li>1. Use this 1/TRN/035 segment to allow an originator to identify a transaction for tracking purposes.</li> <li>2. Although use of this segment is optional, failure to cite a reference number in TRN02 will make it difficult to identify this transaction set in an Application Advice, 824 transaction set.</li> <li>3. Use of a Trace Number is required when submitting an Automatic Clearing House (ACH) to a financial institution.</li> </ol>

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	TRN01	481	Trace Type Code	M ID 1/2
			Code identifying which transaction is being referenced	
			1 Current Transaction Trace Numbers	
			<i>Indicates that this is the trace number for this transaction.</i>	
Must Use	TRN02	127	Reference Identification	M AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			<i>A unique number assigned by the originator of the transaction set.</i>	
Not Used	TRN03	509	Originating Company Identifier	O AN 10/10
			A unique identifier designating the company initiating the funds transfer instructions. The first character is one-digit ANSI identification code designation (ICD) followed by the nine-digit identification number which may be an IRS employer identification number (EIN), data universal numbering system (DUNS), or a user assigned number; the ICD for an EIN is 1, DUNS is 3, user assigned number is 9	
Not Used	TRN04	127	Reference Identification	O AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	

<b>Segment:</b>	<b>CUR</b> Currency
<b>Position:</b>	040
<b>Loop:</b>	
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify the currency (dollars, pounds, francs, etc.) used in a transaction
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 If CUR08 is present, then CUR07 is required.</li> <li>2 If CUR09 is present, then CUR07 is required.</li> <li>3 If CUR10 is present, then at least one of CUR11 or CUR12 is required.</li> <li>4 If CUR11 is present, then CUR10 is required.</li> <li>5 If CUR12 is present, then CUR10 is required.</li> <li>6 If CUR13 is present, then at least one of CUR14 or CUR15 is required.</li> <li>7 If CUR14 is present, then CUR13 is required.</li> <li>8 If CUR15 is present, then CUR13 is required.</li> <li>9 If CUR16 is present, then at least one of CUR17 or CUR18 is required.</li> <li>10 If CUR17 is present, then CUR16 is required.</li> <li>11 If CUR18 is present, then CUR16 is required.</li> <li>12 If CUR19 is present, then at least one of CUR20 or CUR21 is required.</li> <li>13 If CUR20 is present, then CUR19 is required.</li> <li>14 If CUR21 is present, then CUR19 is required.</li> </ol>
<b>Semantic Notes:</b>	
<b>Comments:</b>	1 See Figures Appendix for examples detailing the use of the CUR segment.

#### Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>CUR01</b>	<b>98 Entity Identifier Code</b>	<b>M ID 2/3</b>
		Code identifying an organizational entity, a physical location, property or an individual	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
<b>Must Use</b>	<b>CUR02</b>	<b>100 Currency Code</b>	<b>M ID 3/3</b>
		Code (Standard ISO) for country in whose currency the charges are specified	
	<b>CUR03</b>	<b>280 Exchange Rate</b>	<b>O R 4/10</b>
		Value to be used as a multiplier conversion factor to convert monetary value from one currency to another	
	<b>CUR04</b>	<b>98 Entity Identifier Code</b>	<b>O ID 2/3</b>
		Code identifying an organizational entity, a physical location, property or an individual	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>CUR05</b>	<b>100 Currency Code</b>	<b>O ID 3/3</b>
		Code (Standard ISO) for country in whose currency the charges are specified	

	<b>CUR06</b>	<b>669</b>	<b>Currency Market/Exchange Code</b>	<b>O</b>	<b>ID 3/3</b>	Code identifying the market upon which the currency exchange rate is based Refer to 003070 Data Element Dictionary for acceptable code values.
	<b>CUR07</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>X</b>	<b>ID 3/3</b>	Code specifying type of date or time, or both date and time Refer to 003070 Data Element Dictionary for acceptable code values.
	<b>CUR08</b>	<b>373</b>	<b>Date</b>	<b>O</b>	<b>DT 6/6</b>	Date (YYMMDD)
	<b>CUR09</b>	<b>337</b>	<b>Time</b>	<b>O</b>	<b>TM 4/8</b>	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
	<b>CUR10</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>X</b>	<b>ID 3/3</b>	Code specifying type of date or time, or both date and time Refer to 003070 Data Element Dictionary for acceptable code values.
	<b>CUR11</b>	<b>373</b>	<b>Date</b>	<b>X</b>	<b>DT 6/6</b>	Date (YYMMDD)
	<b>CUR12</b>	<b>337</b>	<b>Time</b>	<b>X</b>	<b>TM 4/8</b>	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
<b>Not Used</b>	<b>CUR13</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>X</b>	<b>ID 3/3</b>	Code specifying type of date or time, or both date and time
<b>Not Used</b>	<b>CUR14</b>	<b>373</b>	<b>Date</b>	<b>X</b>	<b>DT 6/6</b>	Date (YYMMDD)
<b>Not Used</b>	<b>CUR15</b>	<b>337</b>	<b>Time</b>	<b>X</b>	<b>TM 4/8</b>	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
<b>Not Used</b>	<b>CUR16</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>X</b>	<b>ID 3/3</b>	Code specifying type of date or time, or both date and time
<b>Not Used</b>	<b>CUR17</b>	<b>373</b>	<b>Date</b>	<b>X</b>	<b>DT 6/6</b>	Date (YYMMDD)
<b>Not Used</b>	<b>CUR18</b>	<b>337</b>	<b>Time</b>	<b>X</b>	<b>TM 4/8</b>	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes

(00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

<b>Not Used</b>	<b>CUR19</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>X</b>	<b>ID 3/3</b>
-----------------	--------------	------------	----------------------------	----------	---------------

Code specifying type of date or time, or both date and time

<b>Not Used</b>	<b>CUR20</b>	<b>373</b>	<b>Date</b>	<b>X</b>	<b>DT 6/6</b>
-----------------	--------------	------------	-------------	----------	---------------

Date (YYMMDD)

<b>Not Used</b>	<b>CUR21</b>	<b>337</b>	<b>Time</b>	<b>X</b>	<b>TM 4/8</b>
-----------------	--------------	------------	-------------	----------	---------------

Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

<b>Segment:</b>	<b>REF</b> <b>Reference Identification</b>
<b>Position:</b>	050
<b>Loop:</b>	
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	>1
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of REF02 or REF03 is required.</li> <li>2 If either C04003 or C04004 is present, then the other is required.</li> <li>3 If either C04005 or C04006 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 REF04 contains data relating to the value cited in REF02.</li> </ol>
<b>Comments:</b>	

Data Element Summary				
	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification CK Check Number DO Delivery Order Number GC Government Contract Number VV Voucher	M ID 2/3
	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
	REF03	352	<b>Description</b> A free-form description to clarify the related data elements and their content <i>Check number or payment reference number.</i>	X AN 1/80
	REF04	C040	<b>Reference Identifier</b> To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O
Must Use	C04001	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification Refer to 003070 Data Element Dictionary for acceptable code values.	M ID 2/3
Must Use	C04002	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/30
	C04003	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification Refer to 003070 Data Element Dictionary for acceptable code values.	X ID 2/3
	C04004	127	<b>Reference Identification</b>	X AN 1/30

		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
<b>C04005</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
		Code qualifying the Reference Identification		
		Refer to 003070 Data Element Dictionary for acceptable code values.		
<b>C04006</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		



**Segment:** **DTM** **Date/Time Reference**

**Position:** 060

**Loop:**

**Level:** Heading

**Usage:** Optional

**Max Use:** >1

**Purpose:** To specify pertinent dates and times

**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM06 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:** *Use this 1/DTM/060 segment to identify the date of this transaction set.*

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	DTM01	374	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			Code specifying type of date or time, or both date and time	
			097 Transaction Creation	
	DTM02	373	<b>Date</b>	<b>X DT 6/6</b>
			Date (YYMMDD)	
	DTM03	337	<b>Time</b>	<b>X TM 4/8</b>
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
Not Used	DTM04	623	<b>Time Code</b>	<b>O ID 2/2</b>
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
	DTM05	624	<b>Century</b>	<b>O N0 2/2</b>
			The first two characters in the designation of the year (CCYY)	
Not Used	DTM06	1250	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
Not Used	DTM07	1251	<b>Date Time Period</b>	<b>X AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	

<b>Segment:</b>	<b>N1</b> Name
<b>Position:</b>	070
<b>Loop:</b>	N1 Optional
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To identify a party by type of organization, name, and code
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of N102 or N103 is required.</li> <li>2 If either N103 or N104 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.</li> <li>2 N105 and N106 further define the type of entity in N101.</li> </ol>
<b>Notes:</b>	<ol style="list-style-type: none"> <li>1. <i>Use two repetitions of the N1 loop to identify at least the payer and payee organizations. One iteration for the payee is mandatory. A second iteration for the payer is optional.</i></li> <li>2. <i>Whenever possible, address information should be transmitted using code values contained in a combination of the N101 and N103/04 data elements. Use N102 and N2-N4 segments only when it is necessary to transmit the full address. For example, if a vendor can be identified by a Data Universal Numbering System (DUNS) number, it is not necessary to transmit the vendor's full address since the relationship between the DUNS number and the vendor's address can be established by accessing a data base in which the information is stored, having been put there at the time the vendor electronically registered as a federal government trading partner.</i></li> <li>3. <i>Use the 1/N1/070 loop to identify organization(s) or persons that apply to all of the line items, or are not applicable at the line item level. When the addresses vary by line item, use the 2/NM1/020 loop.</i></li> </ol>

## Data Element Summary

Ref.	Data		Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	N101	98 Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual	
		PE Payee	
		<i>Use to indicate the vendor. When used, indicate the applicable vendor's code in N103/04.</i>	
		PR Payer	
	N102	93 Name	X AN 1/60
		Free-form name	
		<i>1. When N101 is code PR, use to indicate the disbursing office.</i>	

**2. When N101 is code PE, cite the name of the payee.**

**3. Payee is not required if the standard carrier alpha code (SCAC) is present in N103.**

<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X</b>	<b>ID 1/2</b>
		Code designating the system/method of code structure used for Identification Code (67)		
		1 D-U-N-S Number, Dun & Bradstreet		
		2 Standard Carrier Alpha Code (SCAC)		
		10 Department of Defense Activity Address Code (DODAAC)		
		33 Commercial and Government Entity (CAGE)		
		93 Code assigned by the organization originating the transaction set		
		<i>Until conversion to DUNS numbers, agencies may cite an agency vendor identification number or an agency internal vendor identification number as related to the agency's payment system. Use only when another listed code is not applicable.</i>		
		FI Federal Taxpayer's Identification Number		
		<i>Use to indicate either the Employer Identification Number (EIN) or Social Security Number (SSN) as appropriate. Required when applicable.</i>		
	<b>N104</b>	<b>67 Identification Code</b>	<b>X</b>	<b>AN 2/20</b>
		Code identifying a party or other code		
<b>Not Used</b>	<b>N105</b>	<b>706 Entity Relationship Code</b>	<b>O</b>	<b>ID 2/2</b>
		Code describing entity relationship		
<b>Not Used</b>	<b>N106</b>	<b>98 Entity Identifier Code</b>	<b>O</b>	<b>ID 2/3</b>
		Code identifying an organizational entity, a physical location, property or an individual		

<b>Segment:</b>	<b>N2 Additional Name Information</b>
<b>Position:</b>	080
<b>Loop:</b>	N1 Optional
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	>1
<b>Purpose:</b>	To specify additional names or those longer than 35 characters in length
<b>Syntax Notes:</b>	
<b>Semantic Notes:</b>	
<b>Comments:</b>	
<b>Notes:</b>	<i>This segment is not necessary when the cited party can be identified by a code value in N101/03/04. Use, when necessary, to cite a name to appear on a payment check when that method of payment has been approved.</i>

Data Element Summary				
	<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Attributes</u>
Must Use	<b>N201</b>	<b>93</b>	<b>Name</b> Free-form name	<b>M AN 1/60</b>
	<b>N202</b>	<b>93</b>	<b>Name</b> Free-form name	<b>O AN 1/60</b>

**Segment:** **N3** Address Information  
**Position:** 090  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify the location of the named party  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

**Notes:** *1. This segment is not necessary when the cited party can be identified by a code value in N101/03/04. Use, when necessary, to cite a address to appear on a payment check when that method of payment has been approved.*

*2. This segment is used to cite the street address of the vendor being paid and may include an "Attention" line in the address. For example:*

*10 Main Street*

*Attn: Accounts Receivable Department*

#### Data Element Summary

	<b>Ref.</b>	<b>Data</b>		<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	
Must Use	N301	166	Address Information	M AN 1/55
			Address information	
	N302	166	Address Information	O AN 1/55
			Address information	

<b>Segment:</b>	<b>N4 Geographic Location</b>
<b>Position:</b>	100
<b>Loop:</b>	N1 Optional
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify the geographic place of the named party
<b>Syntax Notes:</b>	1 If N406 is present, then N405 is required.
<b>Semantic Notes:</b>	
<b>Comments:</b>	<p>1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.</p> <p>2 N402 is required only if city name (N401) is in the U.S. or Canada.</p>
<b>Notes:</b>	<i>This segment is not necessary when the cited party can be identified by a code value in N101/03/04. Use, when necessary, to cite the address to appear on a payment check when that method of payment has been approved.</i>

## Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
N401	19	City Name	O AN 2/30
		Free-form text for city name	
N402	156	State or Province Code	O ID 2/2
		Code (Standard State/Province) as defined by appropriate government agency	
N403	116	Postal Code	O ID 3/15
		Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
N404	26	Country Code	O ID 2/3
		Code identifying the country	
Not Used	N405	309 Location Qualifier	X ID 1/2
		Code identifying type of location	
Not Used	N406	310 Location Identifier	O AN 1/30
		Code which identifies a specific location	

**Segment: PER Administrative Communications Contact****Position:** 120**Loop:** N1 Optional**Level:** Heading**Usage:** Optional**Max Use:** >1**Purpose:** To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
  - 2 If either PER05 or PER06 is present, then the other is required.
  - 3 If either PER07 or PER08 is present, then the other is required.

**Semantic Notes:****Comments:**

**Notes:** *Use this 1/PER/120 segment to identify a contact that applies to all of the line items, or are not applicable at the line item level. When the contact varies by line item, use the 2/PER/070 segment.*

**Data Element Summary**

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use	PER01	366	Contact Function Code	M ID 2/2
			Code identifying the major duty or responsibility of the person or group named	
		IC	Information Contact	
	PER02	93	Name	O AN 1/60
			Free-form name	
			<i>Cite the last name first, followed by the first name. Do not truncate the last name if whole name is longer than 35 characters. Instead, truncate the first name or use the initial of the first name.</i>	
	PER03	365	Communication Number Qualifier	X ID 2/2
			Code identifying the type of communication number	
			<i>Use to identify the preferred method of communication in the first repetition. Use PER05/06 to identify an additional communication number. Use additional repetitions of the PER segment to identify additional numbers.</i>	
		AU	Defense Switched Network	
			Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)	
		EM	Electronic Mail	
		FX	Facsimile	
		IT	International Telephone	
		MN	Modem Number	
		TE	Telephone	

		TL	Telex	
		TM	Telemail	
		TX	TWX	
<b>PER04</b>	<b>364</b>	<b>Communication Number</b>		<b>X AN 1/80</b>
		Complete communications number including country or area code when applicable		
		<i>Do not include blank spaces or dashes between numbers.</i>		
<b>PER05</b>	<b>365</b>	<b>Communication Number Qualifier</b>		<b>X ID 2/2</b>
		Code identifying the type of communication number		
		<i>Use to identify a second communications number for the party cited in PER02. For example, if PER03/04 cites a commercial telephone number, PER05/06 can be used to cited an Electronic Mail address.</i>		
		AU	Defense Switched Network	
			Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)	
		EM	Electronic Mail	
		EX	Telephone Extension	
		FX	Facsimile	
		IT	International Telephone	
		MN	Modem Number	
		TE	Telephone	
		TL	Telex	
		TM	Telemail	
		TX	TWX	
<b>PER06</b>	<b>364</b>	<b>Communication Number</b>		<b>X AN 1/80</b>
		Complete communications number including country or area code when applicable		
		<i>Do not include blank spaces or dashes between numbers.</i>		
<b>PER07</b>	<b>365</b>	<b>Communication Number Qualifier</b>		<b>X ID 2/2</b>
		Code identifying the type of communication number		
		<i>Use to provide a third communications number for the party cited in PER02.</i>		
		AU	Defense Switched Network	
			Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)	
		EM	Electronic Mail	
		EX	Telephone Extension	
		FX	Facsimile	
		IT	International Telephone	
		MN	Modem Number	



TE	Telephone
TL	Telex
TM	Telemail
TX	TWX

**PER08 364 Communication Number X AN 1/80**  
 Complete communications number including country or area code when applicable

*Do not use blank spaces or dashes between numbers.*

**PER09 443 Contact Inquiry Reference O AN 1/20**  
 Additional reference number or description to clarify a contact number

*Use, if necessary, to provide the title of the party cited in PER02.*

**Segment: RDM Remittance Delivery Method****Position:** 130**Loop:** N1 Optional**Level:** Heading**Usage:** Optional**Max Use:** 1**Purpose:** To identify remittance delivery when remittance is separate from payment**Syntax Notes:** 1 If either C04003 or C04004 is present, then the other is required.

2 If either C04005 or C04006 is present, then the other is required.

3 If either C04003 or C04004 is present, then the other is required.

4 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- Comments:**
- 1 RDM02 is used to contain the name of a third party processor if needed, who would be the first recipient of the remittance.
  - 2 RDM03 contains the operative communication number for the delivery method specified in RDM01 (i.e. fax phone number and mail address).
  - 3 RDM04 and RDM05 allow for additional room to convey further routing information beyond what is given in RDM03.

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>		
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>RDM01</b>	<b>756</b>	<b>Report Transmission Code</b>	<b>M ID 1/2</b>
			Code defining timing, transmission method or format by which reports are to be sent	
			Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>RDM02</b>	<b>93</b>	<b>Name</b>	<b>O AN 1/60</b>
			Free-form name	
	<b>RDM03</b>	<b>364</b>	<b>Communication Number</b>	<b>O AN 1/80</b>
			Complete communications number including country or area code when applicable	
	<b>RDM04</b>	<b>C040</b>	<b>Reference Identifier</b>	<b>O</b>
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	
<b>Must Use</b>	<b>C04001</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			Code qualifying the Reference Identification	
			Refer to 003070 Data Element Dictionary for acceptable code values.	
<b>Must Use</b>	<b>C04002</b>	<b>127</b>	<b>Reference Identification</b>	<b>M AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
	<b>C04003</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X ID 2/3</b>
			Code qualifying the Reference Identification	
			Refer to 003070 Data Element Dictionary for acceptable code values.	

	<b>C04004</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
	<b>C04005</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>	
			Code qualifying the Reference Identification			
			Refer to 003070 Data Element Dictionary for acceptable code values.			
	<b>C04006</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
	<b>RDM05</b>	<b>C040</b>	<b>Reference Identifier</b>	<b>O</b>		
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
<b>Must Use</b>	<b>C04001</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M</b>	<b>ID 2/3</b>	
			Code qualifying the Reference Identification			
			Refer to 003070 Data Element Dictionary for acceptable code values.			
<b>Must Use</b>	<b>C04002</b>	<b>127</b>	<b>Reference Identification</b>	<b>M</b>	<b>AN 1/30</b>	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
	<b>C04003</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>	
			Code qualifying the Reference Identification			
			Refer to 003070 Data Element Dictionary for acceptable code values.			
	<b>C04004</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
	<b>C04005</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>	
			Code qualifying the Reference Identification			
			Refer to 003070 Data Element Dictionary for acceptable code values.			
	<b>C04006</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

**Segment: DTM Date/Time Reference****Position:** 140**Loop:** N1 Optional**Level:** Heading**Usage:** Optional**Max Use:** 1**Purpose:** To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM06 is required.
  - 2 If DTM04 is present, then DTM03 is required.
  - 3 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:****Comments:****Data Element Summary**

	<b>Ref.</b>	<b>Data</b>		
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			Code specifying type of date or time, or both date and time	
			Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 6/6</b>
			Date (YYMMDD)	
	<b>DTM03</b>	<b>337</b>	<b>Time</b>	<b>X TM 4/8</b>
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
	<b>DTM04</b>	<b>623</b>	<b>Time Code</b>	<b>O ID 2/2</b>
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
			Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>DTM05</b>	<b>624</b>	<b>Century</b>	<b>O N0 2/2</b>
			The first two characters in the designation of the year (CCYY)	
	<b>DTM06</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>DTM07</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	

<b>Segment:</b>	<b>ENT</b> Entity
<b>Position:</b>	010
<b>Loop:</b>	ENT Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To designate the entities which are parties to a transaction and specify a reference meaningful to those entities
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 If any of ENT02 ENT03 or ENT04 is present, then all are required.</li> <li>2 If any of ENT05 ENT06 or ENT07 is present, then all are required.</li> <li>3 If either ENT08 or ENT09 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 This segment allows for the grouping of data by entity/entities at or within a master/masters. A master (e.g., an organization) can be comprised of numerous subgroups (e.g., entities). This master may send grouped data to another master (e.g., an organization) which is comprised of one or more entities. Groupings are as follows: <ol style="list-style-type: none"> <li>(1) Single/Single: Only ENT01 is necessary, because there is a single entity (the sending master) communicating with a single entity (the receiving master).</li> <li>(2) Single/Multiple: ENT05, ENT06, and ENT07 would be used to identify the entities within the receiving master. The sending master is a single entity, so no other data elements need be used.</li> <li>(3) Multiple/Single: ENT02, ENT03, and ENT04 would be used to identify the entities within the sending master. The receiving master is a single entity, so no other data elements need be used.</li> <li>(4) Multiple/Multiple: ENT02, ENT03, and ENT04 would be used to identify the entities within the sending master. ENT05, ENT06, and ENT07 would be used to identify the entities within the receiving master.</li> </ol> </li> </ol> <p>This segment also allows for the transmission of a unique reference number that is meaningful between the entities.</p>
<b>Notes:</b>	<i>Agencies will use either a single iteration of the 2/ENT/010 loop for a remittance advice directly to the payee organization (single/single as described in comments 1 and 2), or more than one iteration, if a consolidated payer (for multiple/single transaction), as described in comments 3 and 4.</i>

#### Data Element Summary

<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element Name</b>	
<b>ENT01</b>	<b>554 Assigned Number</b>	<b>O N0 1/6</b>
	Number assigned for differentiation within a transaction set	
	<i>Number assigned by the agency to each entity in the transaction.</i>	
<b>ENT02</b>	<b>98 Entity Identifier Code</b>	<b>X ID 2/3</b>
	Code identifying an organizational entity, a physical location, property or an individual	
	<i>Use any code.</i>	
	Refer to 003070 Data Element Dictionary for acceptable code values.	

	<b>ENT03</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X</b>	<b>ID 1/2</b>
			Code designating the system/method of code structure used for Identification Code (67)		
			<i>Use any code.</i>		
			Refer to 003070 Data Element Dictionary for acceptable code values.		
	<b>ENT04</b>	<b>67</b>	<b>Identification Code</b>	<b>X</b>	<b>AN 2/20</b>
			Code identifying a party or other code		
<b>Not Used</b>	<b>ENT05</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>X</b>	<b>ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual		
<b>Not Used</b>	<b>ENT06</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X</b>	<b>ID 1/2</b>
			Code designating the system/method of code structure used for Identification Code (67)		
<b>Not Used</b>	<b>ENT07</b>	<b>67</b>	<b>Identification Code</b>	<b>X</b>	<b>AN 2/20</b>
			Code identifying a party or other code		
<b>Not Used</b>	<b>ENT08</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
			Code qualifying the Reference Identification		
<b>Not Used</b>	<b>ENT09</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

<b>Segment:</b>	<b>NM1</b> Individual or Organizational Name
<b>Position:</b>	020
<b>Loop:</b>	NM1 Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To supply the full name of an individual or organizational entity
<b>Syntax Notes:</b>	<b>1</b> If either NM108 or NM109 is present, then the other is required. <b>2</b> If NM111 is present, then NM110 is required.
<b>Semantic Notes:</b>	<b>1</b> NM102 qualifies NM103.
<b>Comments:</b>	<b>1</b> NM110 and NM111 further define the type of entity in NM101.
<b>Notes:</b>	<b>1. Use two repetitions of the N1 loop to identify at least the payer and payee organizations. One iteration for the payee is mandatory. A second iteration for the payer is optional.</b>  <b>2. Whenever possible, address information should be transmitted using code values contained in a combination of the N101 and N103/04 data elements. Use N102 and N2-N4 segments only when it is necessary to transmit the full address. For example, if a vendor can be identified by a DUNS number, it is not necessary to transmit the vendor's full address since the relationship between the DUNS number and the vendor's address can be established by accessing a data base in which the information is stored, having been put there at the time the vendor electronically registered as a federal government trading partner.</b>  <b>3. Use the 1/N1/070 loop to identify facility or geographic location that applies to all of the line items, or are not applicable at the line item level. When the addresses vary by line item, use the 2/N1/020 loop.</b>

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>NM101</b>	<b>98 Entity Identifier Code</b>	<b>M ID 2/3</b>
		Code identifying an organizational entity, a physical location, property or an individual	
		PE Payee	
		<b>This code is used only by DoD.</b>	
		VN Vendor	
<b>Must Use</b>	<b>NM102</b>	<b>1065 Entity Type Qualifier</b>	<b>M ID 1/1</b>
		Code qualifying the type of entity	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>NM103</b>	<b>1035 Name Last or Organization Name</b>	<b>O AN 1/35</b>
		Individual last name or organizational name	
	<b>NM104</b>	<b>1036 Name First</b>	<b>O AN 1/25</b>
		Individual first name	

<b>NM105</b>	<b>1037</b>	<b>Name Middle</b> Individual middle name or initial	<b>O</b>	<b>AN 1/25</b>
<b>NM106</b>	<b>1038</b>	<b>Name Prefix</b> Prefix to individual name	<b>O</b>	<b>AN 1/10</b>
<b>NM107</b>	<b>1039</b>	<b>Name Suffix</b> Suffix to individual name	<b>O</b>	<b>AN 1/10</b>
<b>NM108</b>	<b>66</b>	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) Refer to 003070 Data Element Dictionary for acceptable code values.	<b>X</b>	<b>ID 1/2</b>
<b>NM109</b>	<b>67</b>	<b>Identification Code</b> Code identifying a party or other code	<b>X</b>	<b>AN 2/20</b>
<b>NM110</b>	<b>706</b>	<b>Entity Relationship Code</b> Code describing entity relationship <i>Use any code.</i> Refer to 003070 Data Element Dictionary for acceptable code values.	<b>X</b>	<b>ID 2/2</b>
<b>NM111</b>	<b>98</b>	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual <i>Use any code.</i> Refer to 003070 Data Element Dictionary for acceptable code values.	<b>O</b>	<b>ID 2/3</b>



**Segment:** **N2** Additional Name Information  
**Position:** 030  
**Loop:** NM1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify additional names or those longer than 35 characters in length  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**  
**Notes:** *This segment is not necessary when the cited party can be identified by a code value in N101/03/04. Use, when necessary, to cite a name to appear on a payment check.*

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N201	93	Name Free-form name	M AN 1/60
	N202	93	Name Free-form name	O AN 1/60

**Segment:** **N3** Address Information  
**Position:** 040  
**Loop:** NM1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify the location of the named party  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

**Notes:** *This segment is not necessary when the cited party can be identified by a code value in N101/03/04. Use, when necessary, to cite a address to which a check is to be mailed.*

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N301	166	Address Information Address information	M AN 1/55
	N302	166	Address Information Address information	O AN 1/55

<b>Segment:</b>	<b>N4 Geographic Location</b>
<b>Position:</b>	050
<b>Loop:</b>	NM1 Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify the geographic place of the named party
<b>Syntax Notes:</b>	1 If N406 is present, then N405 is required.
<b>Semantic Notes:</b>	
<b>Comments:</b>	<p>1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.</p> <p>2 N402 is required only if city name (N401) is in the U.S. or Canada.</p>
<b>Notes:</b>	<i>This segment is not necessary when the cited party can be identified by a code value in N101/03/04. Use, when necessary, to cite a address to which a check is to be mailed.</i>

## Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
N401	19	City Name	O AN 2/30
		Free-form text for city name	
N402	156	State or Province Code	O ID 2/2
		Code (Standard State/Province) as defined by appropriate government agency	
N403	116	Postal Code	O ID 3/15
		Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
N404	26	Country Code	O ID 2/3
		Code identifying the country	
Not Used	N405	309 Location Qualifier	X ID 1/2
		Code identifying type of location	
Not Used	N406	310 Location Identifier	O AN 1/30
		Code which identifies a specific location	

**Segment: PER Administrative Communications Contact****Position:** 070**Loop:** NM1 Optional**Level:** Detail**Usage:** Optional**Max Use:** >1**Purpose:** To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
  - 2 If either PER05 or PER06 is present, then the other is required.
  - 3 If either PER07 or PER08 is present, then the other is required.

**Semantic Notes:****Comments:**

**Notes:** *Use this 2/PER/070 segment to identify a contact that applies to specific line items. When the contact applies to all of the line items, use 1/PER/120 segment.*

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>PER01</b>	<b>366 Contact Function Code</b>	<b>M ID 2/2</b>
		Code identifying the major duty or responsibility of the person or group named	
		IC Information Contact	
	<b>PER02</b>	<b>93 Name</b>	<b>O AN 1/60</b>
		Free-form name	
		<i>Cite the last name first, followed by the first name. Do not truncate the last name if whole name is longer than 35 characters. Instead, truncate the first name or use the initial of the first name.</i>	
	<b>PER03</b>	<b>365 Communication Number Qualifier</b>	<b>X ID 2/2</b>
		Code identifying the type of communication number	
		<i>Use to identify the preferred method of communication in the first repetition. Use PER05/06 to identify an additional communication number. Use additional repetitions of the PER segment to identify additional numbers.</i>	
		AU Defense Switched Network	
		Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)	
		EM Electronic Mail	
		FX Facsimile	
		IT International Telephone	
		MN Modem Number	
		TE Telephone	
		TL Telex	

		TM	Telemail	
		TX	TWX	
<b>PER04</b>	<b>364</b>	<b>Communication Number</b>		<b>X AN 1/80</b>
		Complete communications number including country or area code when applicable		
		<i>Do not include blank spaces or dashes between numbers.</i>		
<b>PER05</b>	<b>365</b>	<b>Communication Number Qualifier</b>		<b>X ID 2/2</b>
		Code identifying the type of communication number		
		<i>Use to identify a second communications number for the party cited in PER02. For example, if PER03/04 cites a commercial telephone number, PER05/06 can be used to cite an Electronic Mail address.</i>		
		AU	Defense Switched Network	
			Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)	
		EM	Electronic Mail	
		EX	Telephone Extension	
		FX	Facsimile	
		IT	International Telephone	
		MN	Modem Number	
		TE	Telephone	
		TL	Telex	
		TM	Telemail	
		TX	TWX	
<b>PER06</b>	<b>364</b>	<b>Communication Number</b>		<b>X AN 1/80</b>
		Complete communications number including country or area code when applicable		
		<i>Do not include blank spaces or dashes between numbers.</i>		
<b>PER07</b>	<b>365</b>	<b>Communication Number Qualifier</b>		<b>X ID 2/2</b>
		Code identifying the type of communication number		
		<i>Use to provide a third communications number for the party cited in PER02.</i>		
		AU	Defense Switched Network	
			Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)	
		EM	Electronic Mail	
		EX	Telephone Extension	
		FX	Facsimile	
		IT	International Telephone	
		MN	Modem Number	
		TE	Telephone	

TL	Telex
TM	Telemail
TX	TWX

<b>PER08</b>	<b>364</b>	<b>Communication Number</b>	<b>X</b>	<b>AN 1/80</b>
Complete communications number including country or area code when applicable				
<i>Do not include blank spaces or dashes between numbers.</i>				
<b>PER09</b>	<b>443</b>	<b>Contact Inquiry Reference</b>	<b>O</b>	<b>AN 1/20</b>
Additional reference number or description to clarify a contact number				
<i>Use, if necessary, to provide the title of the party in PER02.</i>				

<b>Segment:</b>	<b>ADX</b> Adjustment
<b>Position:</b>	080
<b>Loop:</b>	ADX Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To convey accounts-payable adjustment information for the purpose of cash application, including payer-generated debit/credit memos
<b>Syntax Notes:</b>	1 If either ADX03 or ADX04 is present, then the other is required.
<b>Semantic Notes:</b>	1 ADX01 specifies the amount of the adjustment and must be signed if negative. If negative, it reduces the payment amount; if positive, it increases the payment amount. 2 ADX02 specifies the reason for claiming the adjustment. 3 ADX03 and ADX04 specify the identification of the adjustment.
<b>Comments:</b>	
<b>Notes:</b>	<p>1. Use this 2/ADX/080 loop when payment amount differs from invoice to indicate adjustments included in the total amount paid based on adjustments to previously submitted invoices, not related to those indicated in the 2/RMR/150 loop. Segment can only be used when payment method is CTX or when sending remittance separately.</p> <p>2. Use multiple iterations of this 2/ADX/080 to indicate multiple adjustments and reasons.</p> <p>3. The outer ADX loop contains adjustment items that are not specifically netted to an RMR segment in the same transmission. An adjustment is being made to a previously remitted invoice not referenced in any of the RMR segments listed in the current transmission. An ADX loop can also be used in an account payable, post audit process with an adjustment presented after the original invoice is processed. Because of the timing difference, this may cause the adjustment to appear in the outer loop of the same transmission in which the RMR segment is referenced.</p>

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
Must Use	ADX01	782 Monetary Amount	M R 1/15
		Monetary amount	
		1. Use to indicate the adjustment amount.	
		2. Use a minus sign to indicate a debit.	
		3. A decimal point is required when the amount is in dollars and cents.	
Must Use	ADX02	426 Adjustment Reason Code	M ID 2/2
		Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment	

*Use any authorized codes but listed codes are preferred.*

**51 Interest Penalty Charge**

*Use to pay interest additional penalty under the Prompt Payment Act.*

**52 Credit for Previous Overpayment**

**81 Credit as Agreed**

**L1 Audit**

*An itemized charge has been adjusted to this amount due to a re-audit being performed; that audit identified a variance between the amount authorized by the receiver of that goods/service and the amount charged by the provider of the goods/service*

*Use to indicate an itemized charge has been adjusted to the amount due to a pre-audit being performed; that audit identified a variance between the amount authorized by the receiver of the goods/service and the amount charged by the provider of the goods/service.*

**L2 Discount**

*The dollar value of the discount applied which reduces the payment amount due the payee*

*Use to indicate the dollar value of the discount applied that reduces the payment amount to the payee.*

**L3 Penalty**

*The dollar value of the penalty assessed a business entity for a past due debt*

*Use to indicate the dollar value of the penalty assessed a business entity for a past due debt.*

**L4 Administrative Fees**

*The dollar value of the administrative fee assessed a business entity for handling a debt*

*Use to indicate the dollar value of the administrative fee assessed a business entity for handling a debt.*

**L5 Interest Due**

*The dollar value of interest assessed a business entity for a past due debt*

*Use to indicate interest due to government.*

**L6 Interest Owed**

*The dollar value of interest owed a business entity for a past due payment*

*Use to indicate a late payment under the Prompt Payment Act.*

**L7 Miscellaneous Deductions**

*A deduction taken from the amount due a business entity for*



*which no specific reason code exists; this code must be accompanied by a free-form explanation of the deduction*

*Use to indicate a deduction taken from the amount due a business entity for which no specific reason code exists. When used, provide an explanation in REF03 of the 2/REF/110 segment.*

**L8 Miscellaneous Credits**

*An amount that increases the payment due a business entity for which no specific reason code exists; this code must be accompanied by a free-form explanation of the credit. Use to indicate an amount that increases the payment due a business entity for which no specific reason code exists. When used, provide an explanation in REF03 of the 2/REF/110 segment.*

**LP Late Payment**

*Use to indicate a late payment under the Prompt Payment Act.*

Refer to 003070 Data Element Dictionary for acceptable code values.

**ADX03 128 Reference Identification Qualifier X ID 2/3**

Code qualifying the Reference Identification

*1. Use to indicate the previous invoice or other billing document number for affecting the current adjustment.*

*2. While any approved code may be used, listed codes are preferred*

**AM Adjustment Memo (Charge Back)**

**BL Government Bill of Lading**

**BM Bill of Lading Number**

**CL Seller's Credit Memo**

**CM Credit Memo**

**CN Carrier's Reference Number (PRO/Invoice)**

**DB Buyer's Debit Memo**

**DL Debit Memo**

**IK Invoice Number**

*Manufacturer's invoice number for vehicle/component*

**MB Master Bill of Lading**

**RZ Returned Goods Authorization Number**

**SI Shipper's Identifying Number for Shipment (SID)**

*A unique number (to the shipper) assigned by the shipper to identify the shipment*

**TR Government Transportation Request**

Refer to 003070 Data Element Dictionary for acceptable code values.

**ADX04 127 Reference Identification X AN 1/30**

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Segment:** **NTE** Note/Special Instruction  
**Position:** 090  
**Loop:** ADX Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To transmit information in a free-form format, if necessary, for comment or special instruction

**Syntax Notes:****Semantic Notes:**

**Comments:** 1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

**Data Element Summary**

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
NTE01	363	Note Reference Code	O ID 3/3
		Code identifying the functional area or purpose for which the note applies	
		PMT Payment	
Must Use	NTE02	352 Description	M AN 1/80
		A free-form description to clarify the related data elements and their content	
		<i>Used to provide specific information about the adjustment of a Government Bill.</i>	

**Segment: DTM Date/Time Reference****Position:** 105**Loop:** ADX Optional**Level:** Detail**Usage:** Optional**Max Use:** 1**Purpose:** To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM06 is required.
  - 2 If DTM04 is present, then DTM03 is required.
  - 3 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:****Comments:****Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>DTM01</b>	<b>374 Date/Time Qualifier</b>	<b>M ID 3/3</b>
		Code specifying type of date or time, or both date and time	
		140 Actual	
		<i>Use to indicate the actual date of the document specified in the preceding ADX segment.</i>	
	<b>DTM02</b>	<b>373 Date</b>	<b>X DT 6/6</b>
		Date (YYMMDD)	
<b>Not Used</b>	<b>DTM03</b>	<b>337 Time</b>	<b>X TM 4/8</b>
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
<b>Not Used</b>	<b>DTM04</b>	<b>623 Time Code</b>	<b>O ID 2/2</b>
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
<b>Not Used</b>	<b>DTM05</b>	<b>624 Century</b>	<b>O N0 2/2</b>
		The first two characters in the designation of the year (CCYY)	
	<b>DTM06</b>	<b>1250 Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
		Code indicating the date format, time format, or date and time format	
		<i>Use to identify the period for which interest was owned under the Prompt Payment Act in the preceding ADX segment.</i>	
		RD6 Range of Dates Expressed in Format YYMMDD -YYMMDD	

<b>DTM07</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
Expression of a date, a time, or range of dates, times or dates and times				

<b>Segment:</b>	<b>REF</b> Reference Identification
<b>Position:</b>	110
<b>Loop:</b>	REF Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<b>1</b> At least one of REF02 or REF03 is required. <b>2</b> If either C04003 or C04004 is present, then the other is required. <b>3</b> If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	<b>1</b> REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	
<b>Notes:</b>	<i>Use this segment, if applicable, to cite ancillary reference numbers relating to the preceding ADX segment.</i>

Data Element Summary			
	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u> <u>Name</u>	<u>Attributes</u>
Must Use	REF01	128 Reference Identification Qualifier	M ID 2/3
Code qualifying the Reference Identification			
<i>Use any code to cite an ancillary reference number relating to the data contained in the preceding ADX segment.</i>			
		<b>IK Payor's Claim Number</b>	
		<i>Number associated with an overcharge claim for a past Government bill.</i>	
		<b>RB Rate Code Number</b>	
		<i>When ADX02 is code L6, use to indicate the interest rate used to calculate the interest paid in the preceding ADX segment.</i>	
		<b>TD Reason for Change</b>	
		<i>When the ADX02 is L6, use to indicate the late payment code under the Prompt Payment Act.</i>	
		<b>XX Rating Period</b>	
		<i>When the ADX02 is L6, use to indicate the number of days used to calculate the amount paid in 2/ADX01/080.</i>	
Refer to 003070 Data Element Dictionary for acceptable code values.			
	REF02	127 Reference Identification	X AN 1/30
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
	REF03	352 Description	X AN 1/80
A free-form description to clarify the related data elements and their content			
<i>When ADX02 is code L7 or L8, use to provide an explanation of the miscellaneous deduction or credit resulting from the document number</i>			

*cited in REF01/02.*

	<b>REF04</b>	<b>C040</b>	<b>Reference Identifier</b>	<b>O</b>	
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier		
<b>Must Use</b>	<b>C04001</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M</b>	<b>ID 2/3</b>
			Code qualifying the Reference Identification		
			Refer to 003070 Data Element Dictionary for acceptable code values.		
<b>Must Use</b>	<b>C04002</b>	<b>127</b>	<b>Reference Identification</b>	<b>M</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	<b>C04003</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
			Code qualifying the Reference Identification		
			Refer to 003070 Data Element Dictionary for acceptable code values.		
	<b>C04004</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	<b>C04005</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
			Code qualifying the Reference Identification		
			Refer to 003070 Data Element Dictionary for acceptable code values.		
	<b>C04006</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

<b>Segment:</b>	<b>RMR</b> Remittance Advice Accounts Receivable Open Item Reference
<b>Position:</b>	150
<b>Loop:</b>	RMR Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify the accounts receivable open item(s) to be included in the cash application and to convey the appropriate detail
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 If either RMR01 or RMR02 is present, then the other is required.</li> <li>2 If either RMR07 or RMR08 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 If RMR03 is present, it specifies how the cash is to be applied.</li> <li>2 RMR04 is the amount paid.</li> <li>3 RMR05 is the amount of invoice (including charges, less allowance) before terms discount (if discount is applicable) or debit amount or credit amount of referenced items.</li> <li>4 RMR06 is the amount of discount taken.</li> <li>5 RMR08, if present, represents an interest penalty payment, amount late interest paid, or amount anticipation.</li> </ol>
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 Parties using this segment should agree on the content of RMR01 and RMR02 prior to initiating communication.</li> <li>2 If RMR03 is not present, this is a payment for an open item. If paying an open item, RMR02 must be present. If not paying a specific open item, RMR04 must be present.</li> <li>3 RMR05 may be needed by some payees to distinguish between duplicate reference numbers.</li> </ol>
<b>Notes:</b>	<ol style="list-style-type: none"> <li>1. Use multiple iterations of the 2/RMR/150 loop as needed to indicate individual invoice numbers included within the remittance amount.</li> <li>2. Use to identify all open items to be included in the cash application (i.e., invoices, seller credit memos, etc.). Include agency data as available, in all relevant data element in each iteration of an RMR segment.</li> <li>3. Amount in RMR08 is included in the total of RMR04.</li> </ol>

## Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
RMR01	128	Reference Identification Qualifier	X ID 2/3
		Code qualifying the Reference Identification	
		<i>When used in a system employing Evaluated Receipt Settlement (ERS), there must be at least one iteration of the RMR segment citing one of codes BM, PK, or SI in data element RMR01 and ER in RMR03.</i>	
	1V	Related Vendor Order Number	
		A vendor's order number that is in addition to a primary order number	
	AM	Adjustment Memo (Charge Back)	

		BM	Bill of Lading Number		
		CL	Seller's Credit Memo		
		CN	Carrier's Reference Number (PRO/Invoice)		
			<i>For transportation, use code "CN" if invoice is original.</i>		
		DL	Seller's Debit Memo		
		IS	Invoice Number Suffix		
			<i>For transportation, use code "IS" if invoice is supplemental.</i>		
		IV	Seller's Invoice Number		
			<i>For example: A third party billing service is the seller to the contractor providing the product to the Government.</i>		
		OI	Original Invoice Number		
		PK	Packing List Number		
		R7	Accounts Receivable Open Item		
			<i>Use, as applicable, as a generic reference to an open item unless another listed qualifier code defines the precise nature of the item being referenced.</i>		
		SI	Shipper's Identifying Number for Shipment (SID)		
			A unique number (to the shipper) assigned by the shipper to identify the shipment		
<b>RMR02</b>	<b>127</b>	<b>Reference Identification</b>		<b>X</b>	<b>AN 1/30</b>
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
<b>RMR03</b>	<b>482</b>	<b>Payment Action Code</b>		<b>O</b>	<b>ID 2/2</b>
		Code specifying the accounts receivable open item(s), if any, to be included in the cash application.			
		ER	Evaluated Receipts Settlement		
		NS	Not Specified (Unknown as to Type of Payment)		
		PA	Payment in Advance		
		PI	Pay Item		
			<i>Use in preference over code PP when an item is expected to be cleared.</i>		
		PO	Payment on Account		
		PP	Partial Payment		
			<i>Do not use for progress payment. This code is used only when a partial payment is applicable. Data maintenance shall be requested for the addition of a code to indicate an applicable progress payment. Do not use this code if an item is expected to be cleared. Use code PI instead.</i>		



<b>RMR04</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/15</b>
		Monetary amount	
		<i>1. Use to indicate the net amount paid on the specified invoice.</i>	
		<i>2. A decimal point is required when amount is in dollars and cents.</i>	
<b>RMR05</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/15</b>
		Monetary amount	
		<i>Use to identify the amount invoiced.</i>	
<b>RMR06</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/15</b>
		Monetary amount	
		<i>Use to identify the total amount of the discount taken.</i>	
<b>RMR07</b>	<b>426</b>	<b>Adjustment Reason Code</b>	<b>X ID 2/2</b>
		Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment	
		50	Late Charge
		51	Interest Penalty Charge
		L5	Interest Due
			The dollar value of interest assessed a business entity for a past due debt
		L6	Interest Owed
			The dollar value of interest owed a business entity for a past due payment
<b>RMR08</b>	<b>782</b>	<b>Monetary Amount</b>	<b>X R 1/15</b>
		Monetary amount	

<b>Segment:</b>	<b>REF</b> Reference Identification
<b>Position:</b>	170
<b>Loop:</b>	RMR Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	>1
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of REF02 or REF03 is required.</li> <li>2 If either C04003 or C04004 is present, then the other is required.</li> <li>3 If either C04005 or C04006 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 REF04 contains data relating to the value cited in REF02.</li> </ol>
<b>Comments:</b>	
<b>Notes:</b>	<i>This segment contains ancillary reference numbers relating to the preceding RMR segment. This segment shall not be used to identify the primary document number. Instead, cite that number in data elements RMR01/02.</i>

Data Element Summary			
Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128 Reference Identification Qualifier	M ID 2/3
Code qualifying the Reference Identification			
<i>While any code can be used, listed codes are preferred.</i>			
AA Accounts Receivable Statement Number			
AX Government Accounting Class Reference Number (ACRN)			
BL Government Bill of Lading			
BM Bill of Lading Number			
BT Batch Number			
C7 Contract Line Item Number			
CK Check Number			
CN Carrier's Reference Number (PRO/Invoice)			
DO Delivery Order Number			
DP Department Number			
FS Final Sequence Number			
GC Government Contract Number			
IL Internal Order Number			
IV Seller's Invoice Number			
LT Lot Number			
MB Master Bill of Lading			
MG Meter Number			
PO Purchase Order Number			
RZ Returned Goods Authorization Number			
SH Sender Defined Clause			
SI Shipper's Identifying Number for Shipment (SID)			
A unique number (to the shipper) assigned by the shipper to identify the shipment			

**ST** *Store Number*  
**TR** *Government Transportation Request*  
**VV** *Voucher*  
**XF** *Government Bill of Lading Office Code*  
**XG** *Airline Ticket Number*  
**XH** *Contract Auditor ID Number*

Refer to 003070 Data Element Dictionary for acceptable code values.

**Must Use**    **REF02**    **127**    **Reference Identification**    **X**    **AN 1/30**

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

*If REF01 is BL, then REF02 cannot contain punctuation or special characters.*

**Not Used**    **REF03**    **352**    **Description**    **X**    **AN 1/80**

A free-form description to clarify the related data elements and their content

**REF04**    **C040**    **Reference Identifier**    **O**

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

**Must Use**    **C04001**    **128**    **Reference Identification Qualifier**    **M**    **ID 2/3**

Code qualifying the Reference Identification

Refer to 003070 Data Element Dictionary for acceptable code values.

**Must Use**    **C04002**    **127**    **Reference Identification**    **M**    **AN 1/30**

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**C04003**    **128**    **Reference Identification Qualifier**    **X**    **ID 2/3**

Code qualifying the Reference Identification

Refer to 003070 Data Element Dictionary for acceptable code values.

**C04004**    **127**    **Reference Identification**    **X**    **AN 1/30**

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**C04005**    **128**    **Reference Identification Qualifier**    **X**    **ID 2/3**

Code qualifying the Reference Identification

Refer to 003070 Data Element Dictionary for acceptable code values.

**C04006**    **127**    **Reference Identification**    **X**    **AN 1/30**

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Segment: DTM Date/Time Reference****Position:** 180**Loop:** RMR Optional**Level:** Detail**Usage:** Optional**Max Use:** >1**Purpose:** To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM06 is required.
  - 2 If DTM04 is present, then DTM03 is required.
  - 3 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:****Comments:****Notes:** *Cite the date of the document specified in the preceding RMR segment.***Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>		<b>M ID 3/3</b>
				Code specifying type of date or time, or both date and time	
				003 Invoice	
				095 Bill of Lading	
				140 Actual	
				<i>The actual date of the document cited in the preceding data element RMR02.</i>	
				496 Contract Audit Date	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>		<b>X DT 6/6</b>
				Date (YYMMDD)	
<b>Not Used</b>	<b>DTM03</b>	<b>337</b>	<b>Time</b>		<b>X TM 4/8</b>
				Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
<b>Not Used</b>	<b>DTM04</b>	<b>623</b>	<b>Time Code</b>		<b>O ID 2/2</b>
				Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
<b>Not Used</b>	<b>DTM05</b>	<b>624</b>	<b>Century</b>		<b>O N0 2/2</b>
				The first two characters in the designation of the year (CCYY)	
<b>Not Used</b>	<b>DTM06</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>		<b>X ID 2/3</b>
				Code indicating the date format, time format, or date and time format	
<b>Not Used</b>	<b>DTM07</b>	<b>1251</b>	<b>Date Time Period</b>		<b>X AN 1/35</b>

Expression of a date, a time, or range of dates, times or dates and times

**Segment:** **ADX** Adjustment

**Position:** 210

**Loop:** ADX Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Purpose:** To convey accounts-payable adjustment information for the purpose of cash application, including payer-generated debit/credit memos

**Syntax Notes:** 1 If either ADX03 or ADX04 is present, then the other is required.

**Semantic Notes:** 1 ADX01 specifies the amount of the adjustment and must be signed if negative. If negative, it reduces the payment amount; if positive, it increases the payment amount.  
2 ADX02 specifies the reason for claiming the adjustment.  
3 ADX03 and ADX04 specify the identification of the adjustment.

**Comments:**

**Notes:** *When payment amount varies from invoice amount, use multiple iterations of this 2/ADX/210 loop as needed to identify one or more adjustments to the current invoice indicated in the corresponding 2/RMR/150 loop.*

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ADX01	782	Monetary Amount		M R 1/15
			Monetary amount		
			1. Use to indicate the adjustment amount.		
			2. Use a minus sign to indicate a debit.		
			3. A decimal point is required when amount is in dollars and cents.		
Must Use	ADX02	426	Adjustment Reason Code		M ID 2/2
			Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment		
			01 Pricing Error		
			06 Quantity Contested		
			11 Returns - Damage		
			22 Weight Error		
			23 Special Charge Not Authorized		
			54 Freight Deducted		
			55 Tax Deducted		
			72 Authorized Return		
			74 Cancel or Adjust Prior Credit/Debit Adjustment		
			75 Total Order Not Received		
			87 Duplicate Shipment		
			99 Late Shipment of Goods		

A2	Misshipped (Wrong Product Received)
A4	Nonreceipt of Goods
E1	Recoupment
E9	Order Cancelled
L1	Audit An itemized charge has been adjusted to this amount due to a pre-audit being performed; that audit identified a variance between the amount authorized by the receiver of that goods/service and the amount charged by the provider of the goods/service
L2	Discount The dollar value of the discount applied which reduces the payment amount due the payee
L3	Penalty The dollar value of the penalty assessed a business entity for a past due debt
L4	Administrative Fees The dollar value of the administrative fee assessed a business entity for handling a debt
L5	Interest Due The dollar value of interest assessed a business entity for a past due debt
L6	Interest Owed The dollar value of interest owed a business entity for a past due payment
L7	Miscellaneous Deductions A deduction taken from the amount due a business entity for which not specific reason code exists; this code must be accompanied by a free-form explanation of the deduction
L8	Miscellaneous Credits An amount that increases the payment due a business entity for which no specific reason code exists; this code must be accompanied by a free-form explanation of the credit

<b>ADX03</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
		Code qualifying the Reference Identification		
		CM		Buyer's Credit Memo
		DL		Seller's Debit Memo
		IX		Item Number
		XG		Airline Ticket Number
<b>ADX04</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

**Segment:** **NTE** Note/Special Instruction  
**Position:** 220  
**Loop:** ADX Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To transmit information in a free-form format, if necessary, for comment or special instruction

**Syntax Notes:****Semantic Notes:**

**Comments:** 1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

**Data Element Summary**

<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Des.</b>	<b>Element</b>		
NTE01	363	<b>Note Reference Code</b>	<b>O ID 3/3</b>
		Code identifying the functional area or purpose for which the note applies	
		PMT Payment	
<b>Must Use</b>	NTE02	<b>352 Description</b>	<b>M AN 1/80</b>
		A free-form description to clarify the related data elements and their content	
		<i>Used to provide specific information about the adjustment of a Government Bill.</i>	



<b>Segment:</b>	<b>REF</b> <b>Reference Identification</b>
<b>Position:</b>	240
<b>Loop:</b>	REF Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<b>1</b> At least one of REF02 or REF03 is required. <b>2</b> If either C04003 or C04004 is present, then the other is required. <b>3</b> If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	<b>1</b> REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	
<b>Notes:</b>	<i>Use this segment, if applicable, to cite ancillary reference numbers relating to the preceding ADX segment.</i>

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			Code qualifying the Reference Identification	
			<i>Use any code to cite an ancillary reference number relating to the data contained in the immediately preceding ADX segments.</i>	
		RB	Rate code number	
			<i>When ADX02 is code L6, use to indicate the interest rate used to calculate the interest paid in the preceding ADX segment.</i>	
		TD	Reason for Change	
			<i>When the ADX02 is L6, use to indicate the late payment code under the Prompt Payment Act.</i>	
		XX	Rating Period	
			<i>When the ADX02 is L6, use to indicate the number of days used to calculate the amount paid in the 2/ADX01/080.</i>	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
<b>Not Used</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X AN 1/80</b>
			A free-form description to clarify the related data elements and their content	
	<b>REF04</b>	<b>C040</b>	<b>Reference Identifier</b>	<b>O</b>
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	
<b>Must Use</b>	<b>C04001</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			Code qualifying the Reference Identification	

<b>Must Use</b>	<b>C04002</b>	<b>127</b>	Refer to 003070 Data Element Dictionary for acceptable code values. <b>Reference Identification</b>	<b>M</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	<b>C04003</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
			Code qualifying the Reference Identification		
	<b>C04004</b>	<b>127</b>	Refer to 003070 Data Element Dictionary for acceptable code values. <b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	<b>C04005</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
			Code qualifying the Reference Identification		
	<b>C04006</b>	<b>127</b>	Refer to 003070 Data Element Dictionary for acceptable code values. <b>Reference Identification</b>	<b>X</b>	<b>AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

**Segment: DTM Date/Time Reference****Position:** 250**Loop:** REF Optional**Level:** Detail**Usage:** Optional**Max Use:** >1**Purpose:** To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM06 is required.
  - 2 If DTM04 is present, then DTM03 is required.
  - 3 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:****Comments:****Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>DTM01</b>	<b>374 Date/Time Qualifier</b>	<b>M ID 3/3</b>
		Code specifying type of date or time, or both date and time	
		140 Actual	
		<i>Use to indicate the actual date of the document specified in the immediately preceding ADX segment.</i>	
	<b>DTM02</b>	<b>373 Date</b>	<b>X DT 6/6</b>
		Date (YYMMDD)	
<b>Not Used</b>	<b>DTM03</b>	<b>337 Time</b>	<b>X TM 4/8</b>
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
<b>Not Used</b>	<b>DTM04</b>	<b>623 Time Code</b>	<b>O ID 2/2</b>
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
<b>Not Used</b>	<b>DTM05</b>	<b>624 Century</b>	<b>O N0 2/2</b>
		The first two characters in the designation of the year (CCYY)	
	<b>DTM06</b>	<b>1250 Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
		Code indicating the date format, time format, or date and time format	
		<i>Use to identify the period for which interest was owned under the Prompt Payment Act in the preceding ADX segment.</i>	
		RD6 Range of Dates Expressed in Format YYMMDD	

-YYMMDD

<b>DTM07</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
Expression of a date, a time, or range of dates, times or dates and times				

**Segment:** **TXP** Tax Payment  
**Position:** 280  
**Loop:** TXP Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify tax payment data  
**Syntax Notes:** 1 If either TXP06 or TXP07 is present, then the other is required.  
2 If either TXP08 or TXP09 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 The tax type code TXP02 is a code from a code list maintained by the Federation of Tax Administrators (FTA).

## Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	TXP01	325		<b>Tax Identification Number</b>	M AN 1/20
				Number assigned to a purchaser (buyer, orderer) by a taxing jurisdiction (state, county, etc.); often called a tax exemption number or certificate number	
Must Use	TXP02	1049		<b>Tax Payment Type Code</b>	M ID 1/5
				Code identifying type of tax being paid	
Must Use	TXP03	373		<b>Date</b>	M DT 6/6
				Date (YYMMDD)	
Must Use	TXP04	817		<b>Tax Information Identification Number</b>	M AN 1/30
				Identifying number for Tax Information Field	
Must Use	TXP05	1051		<b>Tax Amount</b>	M N2 1/10
				Amount of tax	
	TXP06	817		<b>Tax Information Identification Number</b>	X AN 1/30
				Identifying number for Tax Information Field	
	TXP07	1051		<b>Tax Amount</b>	X N2 1/10
				Amount of tax	
	TXP08	817		<b>Tax Information Identification Number</b>	X AN 1/30
				Identifying number for Tax Information Field	
	TXP09	1051		<b>Tax Amount</b>	X N2 1/10
				Amount of tax	
	TXP10	1050		<b>Taxpayer Verification</b>	O AN 1/6
				The taxpayer verification field may be used by the receiver to verify the taxpayer's identity	

**Segment: DED Deductions****Position:** 287**Loop:** DED Optional**Level:** Detail**Usage:** Optional**Max Use:** 1**Purpose:** To specify payment related information for child support payment deductions**Syntax Notes:****Semantic Notes:**

- 1 DED01 is the type of deduction.
- 2 DED02 is the code indicating the case identifier.
- 3 DED03 is the pay date.
- 4 DED04 is the payment amount.
- 5 DED05 is the social security number of the absent parent.
- 6 DED06 indicates if the obligor has family medical insurance coverage available through their employer. A "Y" indicates medical coverage is available. An "N" indicates there is no coverage. A "W" indicates that the disposition of medical insurance is not applicable to the deduction.
- 7 DED07 is the name of the absent parent. The absent parent's name contains the first seven letters of the obligor's last name followed by the first three letters of the obligor's first name. A comma must be used to separate the last name from the first name of the absent parent when the last name is less than seven characters.
- 8 DED08 contains the Federal Information Process Standard (FIPS) Code. The FIPS code is 5 characters when indicating both the state and county codes. It is seven characters when indicating state, county and local codes.
- 9 DED09 identifies to the child support enforcement agency that an individual's employment has terminated. A "Y" is used if the employee has been terminated otherwise the field is not used. DED04 may contain zero if this field is used.

**Comments:****Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	
<b>Must Use</b>	<b>DED01</b>	<b>1511 Type of Deduction</b>	<b>M ID 2/2</b>
		Code specifying type of deduction being withheld from an employee's pay Refer to 003070 Data Element Dictionary for acceptable code values.	
<b>Must Use</b>	<b>DED02</b>	<b>127 Reference Identification</b>	<b>M AN 1/30</b>
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
<b>Must Use</b>	<b>DED03</b>	<b>373 Date</b>	<b>M DT 6/6</b>
		Date (YYMMDD)	
<b>Must Use</b>	<b>DED04</b>	<b>610 Amount</b>	<b>M N2 1/15</b>
		Monetary amount	
<b>Must Use</b>	<b>DED05</b>	<b>127 Reference Identification</b>	<b>M AN 1/30</b>
		Reference information as defined for a particular Transaction Set or as	

<b>Must Use</b>	<b>DED06</b>	<b>1073</b>	specified by the Reference Identification Qualifier <b>Yes/No Condition or Response Code</b> Code indicating a Yes or No condition or response Refer to 003070 Data Element Dictionary for acceptable code values.	<b>M</b>	<b>ID 1/1</b>
	<b>DED07</b>	<b>93</b>	<b>Name</b> Free-form name	<b>O</b>	<b>AN 1/60</b>
	<b>DED08</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>O</b>	<b>AN 1/30</b>
	<b>DED09</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b> Code indicating a Yes or No condition or response Refer to 003070 Data Element Dictionary for acceptable code values.	<b>O</b>	<b>ID 1/1</b>

**Segment:** **LX** Assigned Number  
**Position:** 290  
**Loop:** LX Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To reference a line number in a transaction set  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

#### Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use	LX01	554	Assigned Number	M N0 1/6
Number assigned for differentiation within a transaction set				
<i>Use the number "1" to comply with syntax requirements.</i>				



**Segment:** **NM1** **Individual or Organizational Name**  
**Position:** 305  
**Loop:** NM1 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To supply the full name of an individual or organizational entity  
**Syntax Notes:** 1 If either NM108 or NM109 is present, then the other is required.  
2 If NM111 is present, then NM110 is required.  
**Semantic Notes:** 1 NM102 qualifies NM103.  
**Comments:** 1 NM110 and NM111 further define the type of entity in NM101.

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	NM101	98	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual Refer to 003070 Data Element Dictionary for acceptable code values.	<b>M ID 2/3</b>
Must Use	NM102	1065	<b>Entity Type Qualifier</b> Code qualifying the type of entity Refer to 003070 Data Element Dictionary for acceptable code values.	<b>M ID 1/1</b>
Not Used	NM103	1035	<b>Name Last or Organization Name</b> Individual last name or organizational name	<b>O AN 1/35</b>
Not Used	NM104	1036	<b>Name First</b> Individual first name	<b>O AN 1/25</b>
Not Used	NM105	1037	<b>Name Middle</b> Individual middle name or initial	<b>O AN 1/25</b>
Not Used	NM106	1038	<b>Name Prefix</b> Prefix to individual name	<b>O AN 1/10</b>
Not Used	NM107	1039	<b>Name Suffix</b> Suffix to individual name	<b>O AN 1/10</b>
Not Used	NM108	66	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67)	<b>X ID 1/2</b>
Not Used	NM109	67	<b>Identification Code</b> Code identifying a party or other code	<b>X AN 2/20</b>
Not Used	NM110	706	<b>Entity Relationship Code</b> Code describing entity relationship	<b>X ID 2/2</b>
Not Used	NM111	98	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual	<b>O ID 2/3</b>



**Segment:** **PEN** Pension Information

**Position:** 335

**Loop:** PEN Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Purpose:** To specify financial activity for a pension plan

**Syntax Notes:** 1 At least one of PEN02 or PEN04 is required.

**Semantic Notes:**

- 1 PEN02 is the total dollar amount for the transaction identified by the transaction type code.
- 2 PEN04 is the percent of salary an employee elected to contribute to a benefit plan.
- 3 PEN05 is a code, defined by trading partners, indicating special application processing.
- 4 PEN06 is the loan identification number.
- 5 PEN07 is the number of loan repayments represented.

**Comments:****Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	
<b>Must Use</b>	<b>PEN01</b>	<b>640 Transaction Type Code</b>	<b>M ID 2/2</b>
		Code specifying the type of transaction	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>PEN02</b>	<b>782 Monetary Amount</b>	<b>X R 1/15</b>
		Monetary amount	
	<b>PEN03</b>	<b>1224 Contribution Code</b>	<b>O ID 2/2</b>
		Code indicating the category of contribution	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>PEN04</b>	<b>954 Percent</b>	<b>X R 1/10</b>
		Percentage expressed as a decimal	
	<b>PEN05</b>	<b>1296 Special Processing Type</b>	<b>O AN 1/6</b>
		Type of special processing that is required	
	<b>PEN06</b>	<b>127 Reference Identification</b>	<b>O AN 1/30</b>
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
	<b>PEN07</b>	<b>1470 Number</b>	<b>O N0 1/9</b>
		A generic number	
	<b>PEN08</b>	<b>1262 Loan Type Code</b>	<b>O ID 1/2</b>
		This code identifies the loan program or type	
		Refer to 003070 Data Element Dictionary for acceptable code values.	
	<b>PEN09</b>	<b>875 Maintenance Type Code</b>	<b>O ID 3/3</b>

Code identifying the specific type of item maintenance  
Refer to 003070 Data Element Dictionary for acceptable code values.

**Segment:** **SE** Transaction Set Trailer  
**Position:** 010  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:****Semantic Notes:**

**Comments:** 1 SE is the last segment of each transaction set.

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>		
	<b><u>Des.</u></b>	<b><u>Element</u></b>	<b><u>Name</u></b>	<b><u>Attributes</u></b>
<b>Must Use</b>	<b>SE01</b>	<b>96</b>	<b>Number of Included Segments</b>	<b>M N0 1/10</b>
			Total number of segments included in a transaction set including ST and SE segments	
<b>Must Use</b>	<b>SE02</b>	<b>329</b>	<b>Transaction Set Control Number</b>	<b>M AN 4/9</b>
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
			<i>Cite the same number that is contained in ST02.</i>	